



Tyrinèti

Pagalba

[Support Home](#)[Products](#) ▼[Software and Drivers](#)[Diagnostic Tools](#) ▼[Contact Support](#)[Business Support](#) ▼[My Dashboard](#)

# Product Specifications for the HP DeskJet 2721e All-in-One Printer (297W9A)

[Product naming](#)[What's included and accessories](#)[Connectivity](#)[Copy](#)[Environmental](#)[Fax](#)[Memory](#)[Mobile printing capability](#)[Paper handling](#)[Paper handling - ADF](#)[Paper handling - duplexer](#)[Physical dimensions](#)[Power](#)[Print cartridges](#)[Printing specifications](#)[Regulatory specifications](#)[Scan](#)[System requirements](#)[Warranty](#)

## Product naming



Model name	HP DeskJet 2721e All-in-One Printer
Product number	297W9A

## What's included and accessories

What's in the box	HP DeskJet 2721e All-in-One Printer; HP 67 Setup Black Cartridge; HP 67 Setup Tri-Color Cartridge; Regulatory flyer; Setup guide; Reference guide; Power cord [For ink volume and page yield information, visit <a href="http://hp.com/go/learnaboutesupplies">http://hp.com/go/learnaboutesupplies</a> ]
Accessories	None

## Connectivity

Ports	1 Wireless 802.11 a/b/g/n; 1 Hi-Speed USB 2.0
Wireless capability	Yes
Storage device and direct print support	Storage devices not supported

## Copy

Copier settings	Auto-enlarge
Color copy capability	Yes



Maximum number of copies	Up to 9 copies
Copy reduce / enlarge settings	Via HP Smart app

## Environmental

Acoustic power emissions (active, printing)	6.2 B(A)
Acoustic pressure emissions	48 dB(A)
Recommended operating humidity range	20 to 80% RH (non-condensing)
Non-Operating Humidity Range	5 to 90% RH (non-condensing)
Recommended operating temperature range (Celsius)	15 to 30°C
Recommended operating temperature range (Fahrenheit)	59 to 86°F
Storage temperature range (Celsius)	-40 to 60°C
Storage temperature range (Fahrenheit)	-40 to 140°F
Environmental specifications	None

## Fax



<b>Fax available</b>	Yes, mobile fax (send only)
<b>Fax features</b>	Option to add files from your phone file/photos, Camera scan or Printer scanner, Option to easily add cover page and save the cover page template, Access to Fax history to see all send faxes and drafts, Ability to edit and resent fax from History, Easily print fax confirmation
<b>Modem</b>	None

## Memory

<b>Memory</b>	64 MB DDR1; 20 MB Flash
<b>Maximum Memory</b>	64 MB DDR1; 20 MB Flash

## Mobile printing capability

<b>Mobile printing services</b>	Apple AirPrint™; Chrome OS; HP Smart app; Mopria-certified
---------------------------------	--

## Paper handling

<b>Input capacity</b>	Up to 60 sheets
<b>Standard input capacity (cards)</b>	Up to 20 cards
<b>Standard input capacity</b>	Up to 5



(envelopes)	
Output capacity	Up to 25 sheets
Media sizes supported (metric)	A4; B5; A6; DL envelope
Media sizes supported (U.S. standard)	Letter; legal; 4 x 6 in; 5 x 7 in; 8 x 10 in; No. 10 envelopes
Media sizes, custom (metric)	89 x 127 to 215 x 279 mm
Media sizes, custom (U.S. standard)	3 x 5 to 8.5 x 14 in
Media types	Plain paper, photo paper, brochure paper, envelopes and other specialty inkjet papers
Media weight supported (metric)	A4: 60 to 90 g/m <sup>2</sup> ; HP envelopes: 75 to 90 g/m <sup>2</sup> ; HP cards: up to 200 g/m <sup>2</sup> ; HP 10 x 15 cm photo paper: up to 300 g/m <sup>2</sup>
Media weight supported (U.S. standard)	20 lb
Borderless printing	No

## Paper handling - ADF



Automatic document feeder capacity	No
------------------------------------	----

## Paper handling - duplexer

Media sizes, duplex (U.S. standard)	Not Applicable
-------------------------------------	----------------

## Physical dimensions

Maximum dimensions (W x D x H, metric)	425 x 546 x 250 mm (Output Extension fully out)
Maximum dimensions (W x D x H, U.S. standard)	16.7 x 21.5 x 9.8 inch (Output Extension fully out)
Weight (metric)	3.42 kg
Weight (U.S. standard)	7.55 lb

## Power

Power supply type	Internal
Power supply	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz). Input voltage: 200 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3Hz) (China & India)
Power consumption	2.5 Watts (Ready) ; 1.1 Watts (Sleep); 0.15 Watts (Off) ; 0.15 Watts (Auto-off)



## Print cartridges

<b>Number of print cartridges</b>	2 (1 each black, tri-color)
<b>Replacement cartridges</b>	<p>HP 67 Black Original Ink Cartridge (~120 pages yield) 3YM56AN; HP 67XL Black High Yield Original Ink Cartridge (~240 pages yield) 3YM57AN; HP 67XXL Black Extra High-Yield Original Ink Cartridge (~400 pages yield) 3YM59AN; HP 67 Tri-Color Original Ink Cartridge (~100 pages yield) 3YM55AN; HP 67XL Tri-Color High-Yield Original Ink Cartridge (~200 pages yield) 3YM58AN; HP 67XXL Tri-Color Extra High-Yield Original Ink Cartridge (~330 pages yield) 6ZA16AN. Actual yield varies considerably based on content of printed pages and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a></p>

## Printing specifications

<b>Print technology</b>	HP Thermal Inkjet
<b>Duplex printing</b>	Manual (driver support provided)
<b>Print speed black (ISO)</b>	Up to 7.5 ppm
<b>Print speed color (ISO)</b>	Up to 5.5 ppm
<b>Print resolution (best)</b>	Up to 1200X 1200 rendered dpi (when Printing from a computer)
<b>Maximum print area (metric)</b>	215 x 355 mm
<b>Monthly duty cycle</b>	Up to 1000 pages



Print languages	HP PCL 3 GUI; HP PCLm (HP Apps/UPD); URF (AirPrint)
-----------------	---

## Regulatory specifications

Regulatory model number	SNPRC-1901-01
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013, EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013, IEC 62368-1:2014, EN 62368-1:2014 +A11:2017, EN 62479:2010, EN 62311:2008
Electromagnetic compatibility	EN 55032:2015 / CISPR 32:2015 Class B, EN 55024:2010 / CISPR 24:2010, EN 55035:2017 / CISPR 35:2016, EN 61000-3-2:2014 / IEC 61000-3-2:2014, EN 61000-3-3:2013 / IEC 61000-3-3:2013, FCC CFR 47 Part 15 Class B, ICES-003, Issue 6 Class B, EN 301 489-1 V2.1.1:2017, EN 301 489-17 V3.1.1:2017
Telecom compliance (fax capability)	EN 300 328 V2.1.1:2016; EN 301 893 V2.2.1:2017

## Scan

Scan technology	Contact Image Sensor (CIS)
Scan resolution, hardware	Up to 1200 x 1200 dpi
Levels of grayscale	256
Bit depth	24-bit



Scanning options (ADF)	Not Applicable
Maximum flatbed scan size (metric)	216 x 297 mm
Maximum flatbed scan size (U.S. standard)	8.5 x 11.69 in
Twain version	Version 2.1

## System requirements

Minimum system requirements for Windows	Windows 10, Windows 7 Service Pack 1 (SP1): 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer.
Recommended system requirements for Windows	Windows 10, Windows 7 Service Pack 1 (SP1): 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer.
Minimum System Requirements for Macintosh	macOS v10.14 Mojave, macOS v10.15 Catalina, macOS v11 Big Sur; 2 GB HD; Internet required
Recommended Macintosh system requirements	macOS v10.14 Mojave, macOS v10.15 Catalina, macOS v11 Big Sur;
Compatible Network Operating Systems	Windows 10, Windows 7 Service Pack 1 (SP1); MacOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14, macOS Catalina v10.15, Chrome OS

## Warranty



<b>Manufacturer Warranty</b>	One-year limited hardware warranty; 24-hour, 7 days a week support
------------------------------	--

## Additional support options



Try one of our automated tools or diagnostics

[See solutions](#)



Ask a question on our HP Support Community page

[Go now](#)



Get in touch with one of our support agents

[Contact us](#)

Country/Region:  Lithuania ▲

### Apie su mumis

Susisiekti su HP

Karjera

Ryšiai su

investuotojais

Ilgalaikis poveikis

Spaudos centras

Autoservisas

### Pirkimo būdai

Susisiekti su HP

atstovu

Rasti platintoją

Piedāvājumi

### Pagalba

Atsisiųsti tvarkykles

Pagalba ir problemų sprendimas

Bendruomenė

Užregistruoti gaminį

Tikrinti remonto

būseną

Mokymai ir

sertifikavimas

### HP partneriai

HP Partner portalas

Kūrėjai

### Stay Connected



Atšaukimas | Gaminių perdirbimas | Pritaikymas neįgaliesiems | Svetainės žemėlapis | Privatumas | Slapukai ir reklamos pasirinkimai | Asmeninių duomenų teisės | Naudojimo sąlygos | Teisinė garantija vartotojams

© Copyright 2021 HP Development Company, L.P.

