Data sheet

HP Ink Tank Wireless 415

Best in class print quality.[1] Up to 15,000 black or 8,000 colour pages.[2]

Print at high volumes for an extremely low cost-per-page,[4] and get easy mobile printing.[3] With a reliable, spill-free ink system,[5] you'll be able to print up to 8,000 pages colour or 15,000 pages black,[2] and produce exceptional quality.

Highlights

- Wireless & Mobile printing
- Fast easy setup
- High Quality long-lasting inks
- Clean, easy refill experience
- Extremely low cost Printing

More for less

- Print thousands of pages with high-capacity ink tank system.
- Print up to 8,000 pages with a set of HP colour bottles or up to 15,000 pages with 2 x HP black ink bottles.[2]
- Print high volumes at an extremely low cost-per-page with this high-capacity ink tank system.[4]

No mess. No waste.

- Easily refill your ink tank system with spill-free, resealable bottles.[5]
- Easily monitor ink levels and replenish Original HP ink when you want.
- Transparent ink tanks allow you to print with confidence.

Exceptional HP quality

- Count on darker, crisper text, time after time.[6]
- Count on HP Original inks for photos that last up to 22 times longer.[7]
- Create borderless brochures, flyers, photos, and other documents that look great – right in your office.
- Get the features you need for work and other tasks with copy and scan functions.

Easy mobile printing and scanning

- Print from your smartphone, and scan and share from virtually anywhere.[8]
- Order ink directly through the HP Smart app.[8]
- Easily print from a variety of smartphones and tablets.[3]
- Connect your smartphone or tablet directly to your printer – and easily print without accessing a network.[9]

Quiet mode   Wireless direct   Borderless

Product walkaround

HP Ink Tank Wireless 415 shown

1. Control panel
2. Replaceable printheads
3. 21 x 29.7 cm (A4) flatbed scanner
4. Up to 60-sheet input tray
5. High-capacity transparent tanks
6. Spill-free refill system
7. Automatic valve technology
8. Tray extender
9. Built-in Wi-Fi Direct® and wireless networking
10. Easy mobile printing with the HP Smart App
11. LCD screen (with easy-to-understand status icons)
12. Task execution buttons (Cancel, Resume, Wireless information, Start Copy Colour, Start Copy Black)
13. Power button

Accessories, Supplies and Support

Supplies	**M0H57AE** HP GT51 Black Original Ink Bottle ~5,000 pages
	M0H54AE HP GT52 Cyan Original Ink Bottle ~8,000 pages
	M0H55AE HP GT52 Magenta Original Ink Bottle ~8,000 pages
	M0H56AE HP GT52 Yellow Original Ink Bottle ~8,000 pages
	X4E40AE HP GT51XL 135-ml Black Original Ink Bottle ~6,000 pages
Service and support	**U9UC1E** HP 2 year Care Pack with Standard Exchange for Multifunction Printers **U9NQ9E** HP 2 year Care Pack with Next Day Exchange for Multifunction Printers **U9NR5E** HP 2 year Care Pack with Return to Depot Support for Multifunction Printers (U9UC1E: All EMEA countries Except ME, Africa, South Africa, Israel, Turkey, U9NQ9E: Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK, Czech, Greece, Hungary, Poland, Slovakia, U9NR5E: ME, Africa, South Africa, Israel, Turkey)

Technical specifications

Model	**HP Ink Tank Wireless 415**
Product number	Z4B53A
Functions	Print, copy, scan, wireless
Control panel	7 LEDS and 9 buttons, also with one ICON LCD for display
Print	
Print technology	HP Thermal Inkjet
Print speed[1]	**Black (A4, ISO)**: Up to 8 ppm; **Colour (A4, ISO)**: Up to 5 ppm; **Black (General Office)**: Up to 19 ppm; **Colour (General Office)**: Up to 15 ppm
First page out	**Black (A4, ready)**: As fast as 14 sec; **Colour (A4, ready)**: As fast as 18 sec
Print resolution	**Black (best)**: Up to 1200 x 1200 rendered dpi; **Colour (best)**: Up to 4800 x 1200 optimised dpi colour (when printing from a computer on selected HP photo papers and 1200 input dpi)
Monthly duty cycle	Up to 1000 pages (A4); **Recommended monthly page volume:** 400 to 800

Model	HP Ink Tank Wireless 415
Product number	Z4B53A
Standard print languages	HP PCL 3 GUI
Print area	**Print margins**: Top: 3 mm, Bottom: 3 mm, Left: 3 mm, Right: 3 mm; **Maximum print area**: 216 x 355 mm
Borderless Printing	Yes, 210 x 297 mm (A4)
Print cartridges number	1 black bottle, set of 3 colour bottles
Multitasking supported	No
Duplex printing	Manual (driver support provided)
Copy	
Copy speed[2]	**Black (A4, ISO)**: 6.5 cpm; **Colour (A4, ISO)**: 2 cpm
Copier specifications	Auto-enlarge; **Maximum number of copies**: Up to 9 copies; **Copy resolution**: Up to 600 x 300 dpi; **Reduce/Enlarge**: fit to page
Scan	
Scan speed	**Normal (A4)**: Up to 21 seconds
Scan file format	JPEG, TIFF, PDF, BMP, PNG
Scanner specifications	**Scanner type**: Flatbed **Scan technology**: Contact Image Sensor (CIS); **Scan input modes**: Scanning via HP Photosmart Software; **Twain version**: Version 2.1; **Scan size maximum (flatbed, ADF)**: 216 x 297 mm; **Optical scan resolution**: Up to 1200 x 1200 dpi
Scannable area	**Maximum media size (flatbed)**: 216 x 297 mm
Bit depth/ Grey scale levels	24-bit / 256
Fax	
Fax	None
Processor speed	360 MHz
Connectivity	
Standard	1 Hi-Speed USB 2.0
Wireless	Yes
Mobile printing capability [3]	HP ePrint
Supported network protocols	9100 Direct IP, LPR, Embedded Web Server, SNMP, SLP, WS-Print
Network capabilities	None
Memory	**Standard**: Integrated; **Maximum** : Integrated
Paper handling	
Number of paper trays	**Standard**: 1; **Maximum**: 1
Media types	Plain Paper; HP Photo Papers; HP Matte Brochure or Professional Paper; HP Matte Presentation Paper; HP Glossy Brochure or Professional Paper; Photo Inkjet Papers; Matte Inkjet Papers; Glossy Inkjet Papers
Media size	**Custom (metric)**: 76.2 x 127 to 215 x 355 mm **Supported (metric)**: A4; B5; A6; DL envelope
Media handling	**Standard input**: 60-sheet input tray **Standard output**: 25-sheet output tray **ADF**: No
Media weight	A4: 60 to 90 g/m²; HP envelopes: 75 to 90 g/m²; HP cards: Up to 200 g/m²; HP 10 x 15 cm photo paper: Up to 300 g/m²
Input capacity	**Standard**: Up to 60 sheets **Maximum**: Up to 60 sheets **ADF**: No
Output capacity	**Standard**: Up to 25 sheets Envelopes: Up to 5 envelopes Labels: Up to 10 sheets Cards: Up to 20 cards **Maximum**: Up to 25 sheets

Model	**HP Ink Tank Wireless 415**
Product number	Z4B53A
Compatible operating systems	Microsoft® Windows® 10, 8.1, 8, Windows Vista®,Windows® XP SP3 or higher (32-bit only): Windows Server 2008 32-bit (SP1 or greater), Windows Server 2008 64-bit (SP1 or greater), Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 , OS X v10.10 Yosemite, OS X v10.11 El Capitan, macOS Sierra v10.12 (previously OS X)
Minimum system requirements	**Windows**: Microsoft® Windows® 10, 8.1, 8, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer. Windows Vista®: 800 MHz 32-bit (x86) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8. Windows Server support is provided via the command line installer - Windows Server 2008 32-bit (SP1 or greater), Windows Server 2008 64-bit (SP1 or greater), Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2016; **Mac**: OS X v10.10 Yosemite, OS X v10.11 El Capitan, macOS Sierra v10.12 (previously OS X), 1.5 GB available hard disk space, Internet access
Software included	HP Printer Software,HP Photo Creations
Dimensions and Weight	
Printer dimensions (W x D x H)[4]	**Minimum**: 525 x 310 x 158 mm; **Maximum**: 525 x 553.5 x 256.6 mm
Package dimensions (W x D x H)	591 x 396 x 203 mm
Printer weight	4.67 kg
Package weight	5.88 kg
Operating environment	**Temperature**: 5 to 40ºC; **Humidity**: 20 to 80% RH
Storage	**Temperature**: -40 to 60ºC **Humidity**: 5 to 90% RH (non-condensing)
Acoustics	**Acoustic power emissions**: 6.0 B(A);
Power[5]	**Requirements**: Input voltage 200 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3Hz); **Consumption:** 10 watts maximum, 0.07 watts (Off), 2.1 watts (Standby), 0.88 watt (Sleep), ; **Power supply type**: Internal
Certifications	CISPR 22:2008/EN 55022:2010 Class B; CISPR24:2010/EN 55024:2010; EN 61000-3-2:2006+A1:2009+A2:2009; EN 61000-3-3:2013; ICES-003, Issue 5 Class B; GOST (Russia) ENERGY STAR® qualified
Country of origin	Made in China
What's in the box	HP Ink Tank Wireless 415; 2 x HP GT51XXL Black Ink Bottle (170CC, ~15,000 pages); HP GT52 Cyan Ink Bottle (70CC, 8,000 pages); HP GT52 Magenta Ink Bottle (70CC, 8,000 pages); HP GT52 Yellow Ink Bottle (70CC, 8,000 pages); Software CD; Setup poster; Power cord; USB cable.
Warranty	One year of 24/7 world-class technical support services through http://www.hp.com/support; One-year or 15,000 pages limited hardware warranty, whichever is earlier from the date of purchase; User replaceable parts have separate warranty periods; Plus an additional year or up to 20,000 pages limited hardware warranty at no charge with product registration.

Footnotes

[1] Compared to tested in-class competing OEM ink tank systems <€299.99 from other brands. Test results should be similar for different model numbers using the same OEM ink formula. December 8, 2017 report by Keypoint Intelligence - Buyers Lab using OEM inks, default mode & draft mode for printing & copying on plain paper with analysis of image density and visual quality. See keypointintelligence.com/hpsmarttank.

[2] Black and composite colour average per bottle (cyan/magenta/yellow) results based on HP methodology and continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. The 2 included GT51XXL black ink bottles are rated to print up to 7,500 test pages each, and are not available for separate sale. 2 GT51 or GT51XL black ink bottles are required to print 8,000 colour test pages. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see hp.com/go/learnaboutsupplies.

[3] For details on local printing requirements see http://hp.com/go/mobileprinting.

[4] HP ink bottles compared to HP ink cartridges. Cost per page based on expected black and composite (cyan/magenta/yellow) page yield results based on HP methodology and continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see http://hp.com/go/learnaboutsupplies.

[5] When used in accordance with set up instructions.

[6] Based on HP internal testing optical density testing comparing with HP DeskJet 5800 series with HP 51 and HP 52 inks.

[7] Plain paper documents and photos stored under glass with OEM inks. Compared to tested in-class competing OEM ink tank systems from other brands. See June 8, 2017 Statement and Wilhelm Imaging Research report Wilhelm-research.com and hp.com/go/printpermanence.

[8] Requires the HP Smart app download. Features controlled may vary by mobile device operating system. Full list of supported operating systems and details at http://support.hp.com/us-en/document/c03561640. For details on local printing requirements see http://hp.com/go/mobileprinting.

[9] Mobile device needs to be connected to Wi-Fi Direct® signal of a Wi-Fi Direct-supported AiO or printer prior to printing. Details at http://hp.com/go/mobileprinting. Wi-Fi Direct® is a registered trademark of Wi-Fi Alliance®.

Technical specifications disclaimers

[1] Either after first page or after first set of ISO test pages. For details see: http://hp.com/go/printerclaims

[2] Speed specifications have been updated to reflect current industry testing methods.

[3] Wireless performance is dependent upon physical environment and distance from the access point. Wireless operations are compatible with 2.4 GHz routers only; excludes wireless direct. Wireless direct may require driver or apps be installed and connected on wireless-enabled mobile device or PC. Wireless functionality may vary by computer and mobile operating systems, see hpconnected.com. Print times and connection speeds may vary. AirPrint™ supports OS X® Lion, OS X® Mountain Lion and the following devices running iOS 4.2 or later: iPad®, iPhone® (3GS or later), iPod touch® (3rd generation or later) and requires the printer be connected to the same network as your OS X or iOS device. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc. Windows® is a trademark of the Microsoft group of companies. BlackBerry® names and logos are the property of Research In Motion Limited. Android is a trademark of Google Inc.

[4] Windows Server support is provided via the command line installer - Windows Server 2008 32-bit (SP1 or greater), Windows Server 2008 64-bit (SP1 or greater), Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2016

[5] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.