


Professional 4 inch desktop label printers

TD Series

www.brother.ae



**Japanese
Excellence**
For Over 100 Years

Versatile,
high-resolution
desktop printers



Brother's range of TD professional label printers offer the ability to print high quality labels on demand, whatever the requirement. Printing labels up to 4 inches in width, and with direct thermal print technology, they fit the requirements of a large range of vertical market applications.



TD professional desk-
top label printers



Seamless Integration

Brother's new high specification 4 inch desktop label printers bring you improved operational efficiency with easy to use, high speed and continuous label printing. Combined with seamless integration and modular design, print from virtually anywhere in the workplace. Supporting a variety of printer command languages including ZPL II emulation allows you to integrate into existing legacy systems.



Professional label printing

Labels are often required to display a considerable amount of important information, so you need a printer that can put it all together efficiently, with consistent, high-quality results.

The TD Series of desktop label printers offers direct thermal high speed printing, at up to 203 dpi resolution. Options include a peeler or automatic cutter, for producing continuous media to your required length on demand.

The software supports barcode printing, embellish font programming for highlighting specific words, and also allows you to import graphics and date formats for a truly personalised solution.


Printing Technology

Direct Thermal

Low-cost, high-volume labels can be created through this process, which uses a heat-sensitive coating and thermal print head, meaning traditional printing ribbons and ink are not required. Ideal for shorter term and less permanent labelling uses.



Healthcare, medical and laboratory



With the strict regulations on the tracking of patient specimens and other items within the healthcare industry, clear, high quality labelling is essential to maintain safety and traceability.

Applications include:

- Appointment cards
- Admission labels
- Specimen and pathology labels
- Blood bag labels
- Laboratory labels
- Microbiology labels
- Dosage/drug bag labels





Software

Model No	TD-4410D	TD-4420DN
P-touch Editor	✓	✓
Brother Font Manager	✓	✓
Printer Settings Tool	✓	✓

For further details visit : <https://support.brother.com>

Warehousing and logistics



Efficient warehousing operation and worker productivity are critical to the success of many companies. With the most common sizes of shipping labels available and the ability to create custom size labels there are many uses for these models in the warehouse.

Applications include:

- Shipping labels
- Carton labels
- Location labels
- Pallet identification labels
- Quality control labels
- Compliance labels



Retail



Easy to read labels are essential for consumers to help make informed decisions prior to a potential purchase. The high print resolution and high quality labels used in this range ensure that every output printed looks professional, offering sharp text, logos and barcodes with a high contrast to ensure faultless scanning at the checkout.

Applications include:

- Pricing labels
- Barcode labels
- Pre-packaged food ingredients labels
- Nutrition information labels
- Shelf-edge labels
- Sale/mark-down/discount pricing labels



TD Range

brief summary

TD-4410D

TD-4420DN

4 Inch

Printing

Print technology	Direct thermal
Print speed	203mm/sec
Resolution	203dpi
Max print width	104.1mm
Min print length	Continuous: 6.4 mm, Peeler: 12.7 mm, Cutter: 20 mm, Tear: 27 mm
Max print length	3000mm
Media sensor type	Gap (Transmissive), Bar (Reflective)
Media sensor location	Gap (Fixed), Reflective (Adjustable)
Tear off release mode	Standard: Continuous, Tear off Optional: Peeler, Cutter

Connectivity

USB	●	●
Serial	●	●
Wired LAN		●

General

Dimensions (mm)	180(w) x 224(d) x 155(h)	
Weight	2.08kg	
Control panel	3 button 3 LED	
Operating system support	Windows 7/8/8.1/10 Linux	Windows 7/8/8.1/10, Windows Server 2008/2008R2/2012/2012R2/2016 Linux
Supported commands	P-touch Template, ESC/P, Raster, ZPL II emulation, CPCL emulation	

Media

Media types	Wristbands, Continuous, Die cut, Fan fold, Perforated, Tag
Media thickness	0.058mm - 0.279mm (0.002 inch to 0.011 inch)
Media width	19mm - 118.11 mm (0.75 inch to 4.65 inch)
Media length	6.4mm - 3,000 mm (0.25 inch to 118.11 inch)
Diameter (Max)	127mm (5 inch)
Core Diameter (Max)	12.7mm (0.5 inch)

Power

Adapter	AC adapter (100 - 240V 50/60Hz)
---------	---------------------------------

Software

Barcode symbologies	Linear: CODE 39, ITF(I-2/5), EAN-8(JAN8), EAN-13(JAN13), UPC-A, UPC-E, CODABAR (NW-7), CODE 128, GS1-128(UCC/EAN 128), GS1 Databar (Standard (Omnidirectional)/Truncated/Stacked/Stacked Omnidirectional/Limited/Expanded), CODE93, POSTNET, UPC/EAN EXTENSION, MSI, Intelligent Mail Barcode 2-dimensional: QR Code (model 1, model 2, micro QR), Maxicode, PDF417 (Standard, Truncate, MicroPDF417) Data Matrix (ECC200 Square, ECC200 Rectangular) Aztec
Internal fonts	ESC/P> Bitmap font: LetterGothicBold (16,24,32,48dot), Helsinki (16,24,32,48dot), Brussels (24,32,48dot), Brougham (24,32,48dot), San Diego (24,32,48dot), Gothic (16,24,32dot) Outline font: LetterGothicRegular, Helsinki, Brussels, Gothic (1 - 400dots) <P-touch Template> Outline font: LetterGothicRegular, Helsinki, Brussels, Gothic (1 - 400dots) Downloadable font support* via Font Manager software

Memory

RAM	256MB
Flash	64MB

Environmental

Operating temperature	Operate: 5°C to 40°C
Operating humidity	20 - 85% (No condensation, Max wet bulb temperature: 27°C)
Storage temperature	-20°C to 60°C
Storage humidity	10 - 90% (No condensation)

Weights & Dimensions

Dimensions (mm)	180(w) x 155(d) x 224(h)
Weights	2.08kg

Included Items

Supplied in box	AC adaptor & cord, USB cable, documentations
-----------------	--

TD-4D Accessories and consumable supplies

Brother has designed and engineered a wide range of accessories to help customise the solution to meet your specific labelling requirements. Brother accessories help users equip their device to cope with the specific requirements of use.

TD-4D Additional Options

PA-LP-002
TD-4D series only
Label Peeler

TD-4410D
TD-4420DN



PA-CU-001
TD-4D series only
Cutter

TD-4410D
TD-4420DN



PA-HU2-001
TD-4D series only
Thermal Print Head (203dpi)

TD-4410D
TD-4420DN



PA-PR2-001
TD-4D series only
Platen Roller (203dpi)

TD-4410D
TD-4420DN



TD-4D Consumables

RD Rolls	Size	Quantity	Colour	Item No
Continuous receipt roll	102mm x 27.7m	n/a	White	RD-M01E5
Continuous receipt roll	76mm x 35.3m	n/a	White	RD-P08E5
Continuous receipt roll	58mm x 86m	n/a	White	RD-S07E5
Continuous receipt roll	58mm x 12m	n/a	White	RD-R03E5
Continuous label roll	102mm x 44.7m	n/a	White	RD-S01E2
Die cut labels roll	102mm x 50mm	843 labels	White	RD-S03E1
Die cut labels roll	102mm x 152mm	72 labels	White	RD-M03E1
Die cut labels roll	102mm x 152mm	281 labels	White	RD-S02E1
Die cut labels roll	76mm x 26mm	1564 labels	White	RD-S04E1
Die cut labels roll	76mm x 44mm	335 labels	White	RD-P09E1
Die cut labels roll	51mm x 26mm	1564 labels	White	RD-S05E1
Die cut labels roll	51mm x 26mm	450 labels	White	RD-Q04E1



With label design apps for desktop PC's and mobile devices, and SDK's to integrate the TD range into your own applications, you can choose the best option for your label printing needs.

Brother provides all the necessary tools required for software developers to integrate printing into their applications. Printer drivers are available for Windows OS.

Software Support Features

P-touch Editor

Supplied as standard, you can create your own custom labels with pixel precision by using this powerful software solution. With features such as support for over 15 barcode protocols, advanced image dithering to print high quality grayscale images, and the ability to link to data contained in Excel spreadsheets for batch printing of labels, any label design is possible.

Crop Function

Built into the Windows driver, this function helps take away the inconvenience of using A4 sheets of labels in your standard printer. This clever feature automatically scans through the document and where a barcode is present it extracts shipping or product labels one at-a-time then prints as individual on the Brother label printer.

Printer Commands

With support for ZPL II emulation and a variety of additional printer command languages, developers can easily integrate printing into existing legacy systems (see specification tables for further details).

Template Mode

Design the required document on your Windows PC, including logos and barcodes. Once transferred and stored in the printer's memory, the template can be recalled and any data replaced, before printing with just a few short commands.

Compatibility may vary dependent on model - check table on following page



brother

at your side

Contact:

www.brother.ae

For more information, contact us at



All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.